

			Albuminuria categories (UACR, mg/g)		
			A1	A2	A3
			Normal to mildly increased	Moderately increased	Severely increased
			<30	30-299	≥300
G1	Normal or high	≥90	Screen 1	Treat 1	Treat & Refer 3
G2	Mildly decreased	60-89	Screen 1	Treat 1	Treat & Refer 3
G3a	Mildly to moderately decreased	45-59	Treat 1	Treat 2	Treat & Refer 3
G3b	Moderately to severely decreased	30-44	Treat 2	Treat & Refer 3	Treat & Refer 3
G4	Severely decreased	15-29	Treat & Refer 3	Treat & Refer 3	Treat & Refer 4+
G5	Kidney failure	<15	Treat & Refer 4+	Treat & Refer 4+	Treat & Refer 4+

Low risk (if no other markers of kidney disease, no CKD)

Moderately increased risk

High risk

Very high risk

The numbers in the boxes are a guide to the frequency of screening or monitoring (number of times per year)

Figure reprinted from Elsevier Inc. and The American Diabetes Association: de Boer IH, et al. ADA and KDIGO Consensus Report. *Diabetes Care*. 2022;45(12):3075-3090. This is open access article under the Creative Commons Attribution 4.0 International license (CC BY 4.0; <https://creativecommons.org/licenses/by/4.0/>).